

Material Safety Data Sheet

Revision Date: 04/13/2012
Z17000000631/Version: 2.0
Print Date: 04/20/2012
Page: 1/7



1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK Hypo Clearing Agent

Product code: 1464254

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

Synonyms: PCD 0515

Product Use: photographic processing chemical, For industrial use only.

2. Hazards identification

CONTAINS: Sodium sulphite (7757-83-7), Sodium metabisulphite (7681-57-4)

WARNING!

CAN DECOMPOSE AT ELEVATED TEMPERATURES

MAY LIBERATE SULFUR DIOXIDE

MAY BE HARMFUL IF INHALED OR SWALLOWED

MAY CAUSE EYE IRRITATION

THE PHYSICAL-CHEMICAL PROPERTIES OF THIS MATERIAL HAVE NOT BEEN FULLY INVESTIGATED

HMIS III Hazard Ratings: Health - 2, Flammability - 0, Physical Hazard - 1

NFPA Hazard Ratings: Health - 3, Flammability - 0, Instability - 1

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
75 - 80	Sodium sulphite (7757-83-7)
15 - 20	Sodium metabisulphite (7681-57-4)
1 - 5	Sodium citrate (6132-04-3)
1 - 5	Ethylenediaminetetraacetic acid tetrasodium salt (64-02-8)

4. First aid measures

Material Safety Data Sheet



Revision Date: 04/13/2012
Z17000000631/Version: 2.0
Print Date: 04/20/2012
Page: 2/7

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Ingestion: If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

5. Fire-fighting measures

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: None (noncombustible), (see also Hazardous Decomposition Products sections.)

Unusual Fire and Explosion Hazards: Fire or high temperatures may cause decomposition.

6. Accidental release measures

Shovel into suitable container for disposal. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Avoid breathing dust at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep away from heat and sources of ignition.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Sodium metabisulphite	ACGIH	time weighted average	5 mg/m3
Sulphur dioxide	OSHA	Short term exposure limit time weighted average	0.25 ppm 5 ppm 13 mg/m3

Ventilation: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions.

Material Safety Data Sheet

Revision Date: 04/13/2012
Z17000000631/Version: 2.0
Print Date: 04/20/2012
Page: 3/7



Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: N95 Particulate Filter. A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: acid gas See Stability and Reactivity Section. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

9. Physical and chemical properties

Physical form: solid (powder or granules)

Colour: white

Odour: odourless

Specific gravity: > 1

Vapour pressure: not applicable

Vapour density: not applicable

Melting point/range: no data available

Water solubility: appreciable

pH: not applicable

Flash point: not applicable

10. Stability and reactivity

Stability: Not fully evaluated. Materials containing similar structural groups can decompose if heated.

Incompatibility: Acids, Strong oxidizing agents. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: sulphur dioxide

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

Material Safety Data Sheet



Revision Date: 04/13/2012
Z17000000631/Version: 2.0
Print Date: 04/20/2012
Page: 4/7

General advice:

Contains: Sodium metabisulphite. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Inhalation: May be harmful if inhaled. May cause irritation to the mucous membranes and upper respiratory tract. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: May cause eye irritation.

Skin: Prolonged or repeated skin contact may cause irritation. This material has a low potential to cause allergic skin reactions; however, cases of human skin sensitization have been reported.

Ingestion: May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea. May cause irritation of the gastrointestinal tract.

Acute Toxicity Data:

Oral LD50 (rat): > 1,600 mg/kg

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): > 100 mg/l

Toxicity to daphnia (EC50): > 100 mg/l

Toxicity to algae (IC50): > 100 mg/l

Toxicity to other organisms: > 100 mg/l

Persistence and degradability: Readily biodegradable.

Chemical Oxygen Demand (COD): ca. 150 g/l

Biochemical Oxygen Demand (BOD): ca. 135 g/l

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Material Safety Data Sheet

Revision Date: 04/13/2012
Z17000000631/Version: 2.0
Print Date: 04/20/2012
Page: 5/7



Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	Not all listed
DSL	Not all listed
NDSL	None listed
EINECS	Not all listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	Not all listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Material Safety Data Sheet



Revision Date: 04/13/2012
Z17000000631/Version: 2.0
Print Date: 04/20/2012
Page: 6/7

California Prop. 65	WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	No components of this product are subject to the SARA Section 302 (40 CFR 302.4) reporting requirements.
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	No components of this product are subject to the SARA Section 313 (40 CFR 372.65) reporting requirements.
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Sodium metabisulphite
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Sodium metabisulphite
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Sodium metabisulphite
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Sodium metabisulphite
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Sodium sulphite, Sodium metabisulphite, Sodium citrate

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK Hypo Clearing Agent

CONTAINS: Sodium sulphite (7757-83-7), Sodium metabisulphite (7681-57-4).

Material Safety Data Sheet

Revision Date: 04/13/2012
Z17000000631/Version: 2.0
Print Date: 04/20/2012
Page: 7/7



WARNING! CAN DECOMPOSE AT ELEVATED TEMPERATURES. MAY LIBERATE SULFUR DIOXIDE. MAY BE HARMFUL IF INHALED OR SWALLOWED. MAY CAUSE EYE IRRITATION. THE PHYSICAL-CHEMICAL PROPERTIES OF THIS MATERIAL HAVE NOT BEEN FULLY INVESTIGATED.

Avoid breathing dust at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. **FIRST AID:** If symptomatic, move to fresh air. Get medical attention if symptoms occur. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. Wash off with soap and water. Get medical attention if symptoms occur. If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **IN CASE OF SPILL:** Shovel into suitable container for disposal. Clean surface thoroughly to remove residual contamination. Additional Components Include: Sodium citrate (6132-04-3), Ethylenediaminetetraacetic acid tetrasodium salt (64-02-8).

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-2, F-0, C-1T

Material Safety Data Sheet



Revision Date: 11/24/2010
000000014178/Version: 1.3
Print Date: 04/20/2012
Page: 1/7

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK Hypo Clearing Agent, Working solution

Product code: 1464254 - Working solution

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

Synonyms: None.

Product Use: photographic processing chemical, For industrial use only.

2. Hazards identification

CONTAINS: Sodium sulphite (7757-83-7), Sodium bisulphite (7631-90-5)

WARNING!
MAY BE HARMFUL IF SWALLOWED

HMIS III Hazard Ratings: Health - 1, Flammability - 0, Reactivity (Stability) - 0

NFPA Hazard Ratings: Health - 3, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
1 - 5	Sodium sulphite (7757-83-7)
0.1 - < 1	Sodium bisulphite (7631-90-5)

4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

Eyes: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lens, if worn. Get medical attention if symptoms occur.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Material Safety Data Sheet



Revision Date: 11/24/2010
000000014178/Version: 1.3
Print Date: 04/20/2012
Page: 2/7

Ingestion: If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

5. Fire-fighting measures

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special Fire-Fighting Procedures: None (noncombustible)

Hazardous Combustion Products: None (noncombustible), (see also Hazardous Decomposition Products sections.)

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: No special technical protective measures required.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Sulphur dioxide	ACGIH	Short term exposure limit time weighted average	0.25 ppm
	OSHA		5 ppm 13 mg/m ³

Ventilation: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Respiratory protection: None should be needed. A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: acid gas See Stability and Reactivity Section. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Eye protection: Wear safety glasses with side shields (or goggles).

Material Safety Data Sheet



Revision Date: 11/24/2010
000000014178/Version: 1.3
Print Date: 04/20/2012
Page: 3/7

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

9. Physical and chemical properties

Physical form: liquid

Colour: colourless

Odour: odourless

Specific gravity: 1.02

Vapour pressure (at 20.0 °C (68.0 °F)) : 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Volatile fraction by weight: 95 - 100 %

Boiling point/boiling range: > 100 °C (> 212.0 °F)

Water solubility: complete

pH: 7

Flash point: does not flash

10. Stability and reactivity

Stability: Stable under normal conditions.

Incompatibility: Acids. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: No specific hazard known. May cause transient irritation.

Skin: This material has a low potential to cause allergic skin reactions; however, cases of human skin sensitization have been reported.

Material Safety Data Sheet

Revision Date: 11/24/2010
000000014178/Version: 1.3
Print Date: 04/20/2012
Page: 4/7



Ingestion: May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Sodium sulphite (CAS 7757-83-7):

Acute Toxicity Data:

- Oral LD50 (rat): > 1,600 mg/kg
- Inhalation LC50 (rat): > 5.5 mg/l / 4 hr
 - Inhalation LC50 (rat): > 22 mg/l / 1 hr
 - Skin irritation: none
 - Eye irritation: slight; washing palliative

Data for Sodium bisulphite (CAS 7631-90-5):

Acute Toxicity Data:

Oral LD50 (rat): > 1,600 mg/kg

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50):	> 100 mg/l
Toxicity to daphnia (EC50):	> 100 mg/l
Toxicity to algae (IC50):	> 100 mg/l
Toxicity to other organisms:	> 100 mg/l

Persistence and degradability: Readily biodegradable.

Chemical Oxygen Demand (COD): ca. 5 g/l

Biochemical Oxygen Demand (BOD): ca. 3 g/l

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Material Safety Data Sheet

Revision Date: 11/24/2010
000000014178/Version: 1.3
Print Date: 04/20/2012
Page: 5/7



Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Material Safety Data Sheet

Revision Date: 11/24/2010
000000014178/Version: 1.3
Print Date: 04/20/2012
Page: 6/7



U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	No components of this product are subject to the SARA Section 302 (40 CFR 302.4) reporting requirements.
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	No components of this product are subject to the SARA Section 313 (40 CFR 372.65) reporting requirements.
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	No components found on the California Director's List of Hazardous Substances.
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	No components regulated under the Massachusetts Hazardous Substances Disclosure by Employers Law.
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	No components found on the Minnesota Employee Right-to-Know List of Hazardous Substances.
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	No components regulated under the New Jersey Worker and Community Right-to-Know Act.
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapters 301-323):	Sodium bisulphite, Water
U.S. - Rhode Island - Title 28 Labor and Labor Relations (Chapters 28-21 Hazardous Substance Right-to-Know Act):	No components regulated under the Rhode Island Hazardous Substance Right-to-Know Act.

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

Material Safety Data Sheet



Revision Date: 11/24/2010
000000014178/Version: 1.3
Print Date: 04/20/2012
Page: 7/7

KODAK Hypo Clearing Agent, Working solution

CONTAINS: Sodium sulphite (7757-83-7), Sodium bisulphite (7631-90-5).

WARNING! MAY BE HARMFUL IF SWALLOWED.

Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. **FIRST AID:** If symptomatic, move to fresh air. Get medical attention if symptoms occur. Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lens, if worn. Get medical attention if symptoms occur. Wash off with soap and water. Get medical attention if symptoms occur. If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Additional Components Include: Water (7732-18-5), Sodium citrate (68-04-2).

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-0, C-0